Brain Research, 491 (1989) 407–409
Elsevier

Author Index

Albin, R.L., Aldridge, J.W., Young, A.B. and Gilman, S., Feline subthalamic nucleus neurons contain glutamate-like but not GABA-like or glycine-like immunoreactivity, 185
Aldridge, J.W., see Albin, R.L., 185
Autilio-Gambetti, L., see Monaco, S., 328

Ball, G.F., Nock, B., McEwen, B.S. and Balthazart, J., Distribution of α_2-adrenergic receptors in the brain of the Japanese quail as determined by quantitative autoradiography: implications for the control of sexually dimorphic reproductive processes, 68
Balthazart, J., see Ball, G.F., 68
Barnes, C.D., see Reddy, V.K., 144
Barnes, J.M., Barnes, N.M., Costall, B., Horovitz, Z.P. and Naylor, R.J., Angiotensin II inhibits the release of [^{3}H]acetylcholine from rat entorhinal cortex in vitro, 136
Barnes, N.M., see Barnes, J.M., 136
Barnett, G., see Manaye, K.F., 307
Baux, G., see Fossier, P., 390
Beikirch, R.J., see Butera, P.C., 266
Bell, R.D., see Frey, J.M., 57
Bengzon, J., see Kokaia, M., 398
Bennett, B.A. and Morris, M., An immunochemical and biochemical study of catecholaminergic activity in dissociated hypothalamic cultures, 109
Bernstein, J.J. and Goldberg, W.J., Rapid migration of grafted cortical astrocytes from suspension grafts placed in host thoracic spinal cord, 205
Berti-Mattera, L.N., see Horan, K.L., 366
Black, I.B., see DiCicco-Bloom, E., 403
Butera, P.C. and Beikirch, R.J., Central implants of diluted estradiol: independent effects on ingestive and reproductive behaviors of ovariectomized rats, 266

Carmel, M., see Galeano, C., 45
Carmeliet, P., Van Damme, J. and Denef, C., Interleukin-1β inhibits acetylcholine synthesis in the pituitary corticotropic cell line AtT_{20}, 199
Chiodera, P., see Coiro, V., 169
Cohen, M.I., see Donnelly, D.F., 243
Coimbra, A., see Pignatelli, D., 33
Coiro, V. and Chiodera, P., Inhibition by sodium valproate of the arginine vasopressin and adrenocorticotropin responses to angiotensin II in normal men, 169
Corcos, J., see Galeano, C., 45
Cornwall, J. and Phillipson, O.T., Single neurones of the basal forebrain and laterodorsal tegmental nucleus project by collaterals axons to the olfactory bulb and the mediodorsal nucleus in the rat, 194
Costall, B., see Barnes, J.M., 136
Crain, S.M., see Shen, K.-F., 227

Daval, J.-L., Von Lubitz, D.K.J.E., Deckert, J., Redmond, D.J. and Marangos, P.J., Protective effect of cyclohexyladenosine on adenosine A_1-receptors, guanine nucleotide and forskolin binding sites following transient brain ischemia: a quantitative autoradiographic study, 212

Deckert, J., see Daval, J.-L., 212
Denef, C., see Carmeliet, P., 199
DiCicco-Bloom, E. and Black, I.B., Depolarization and insulin-like growth factor-I (IGF-I) differentially regulate the mitotic cycle in cultured rat sympathetic neuroblasts, 403
Donnelly, D.F., Sica, A.L., Cohen, M.I. and Zhang, H., Dorsal medullary inspiratory neurons: effects of superior laryngeal afferent stimulation, 243
Douglas, W.W., see Taraskevich, P.S., 102
Dubuc, R. and Rossignol, S., The effects of 4-aminopyridine on the cat spinal cord: rhythmic antidromic discharges recorded from the dorsal roots, 335
Dubuc, R. and Rossignol, S., Unitary discharges in dorsal and ventral roots after the administration of 4-aminopyridine in the cat, 349

Eichberg, J., see Horan, K.L., 366

Fisher, R.S. and Levine, M.S., Transmitter cosynthesis by corticopetal basal forebrain neurons, 163
Fossier, P., Testylier, G., Baux, G., Viret, J. and Tauc, L., Demonstration of functional acetylcholinesterase on the soma of individual neurones of *Aplysia* by in vivo microspectrophotometry, 390
Frey, J.M., Ticku, M.K., Bell, R.D. and Huffman, R.D., Chronic haloperidol administration increases GABA binding and enhances neuronal responsiveness to iontophoresed GABA in rat globus pallidus, 57
Frost, J.J., see Sadzot, B., 128
Fung, S.J., see Reddy, V.K., 144

Galeano, C., Corcos, J., Carmel, M. and Jubelin, B., Action of clonidine on micturitional reflexes in decerebrate cats, 45
Gallop, P.M., see Graham, L., 371
Gambetti, P., see Monaco, S., 328
Gamble, G.D., see Milne, R.J., 316
German, D.C., see Manaye, K.F., 307
Gilman, S., see Albin, R.L., 185
Goldberg, W.J., see Bernstein, J.J., 205
Graham, L. and Gallop, P.M., Peptidylglycine α-amidating monooxygenase activity in spinal cord, dorsal roots, and dorsal root ganglia of *Macaca fascicularis*, 371
Greengard, P., see Gustafson, E.L., 297
Gustafson, E.L., Ouimet, C.C. and Greengard, P., Spatial relationship of the striatonigral and mesostriatal pathways: double-label immunocytochemistry for DARPP-32 and tyrosine hydroxylase, 297

Heikkila, R.E., see Manaye, K.F., 307
Henry, J.L. and Sessle, B.J., Vasopressin and oxytocin express excitatory effects on respiratory and respiration-related neurones in the nuclei of the tractus solitarius in the cat, 150
Heyes, M.P., Quearry, B.J. and Markey, S.P., Systemic endotoxin increases L-tryptophan, 5-hydroxyindoleacetic acid, 3-hydroxykynurenine and quinolinic acid content of mouse cerebral cortex, 173

Holford, N.H.G., see Milne, R.J., 316
Honegger, C.G., see Krenger, W., 374
Horan, K.L., Eichberg, J., Berti-Mattera, L.N. and LoPachin, R.M., Hexanedione effects on protein phosphorylation in rat peripheral nerve, 366
Horovitz, Z.P., see Barnes, J.M., 136
Huffman, R.D., see Frey, J.M., 57
Hughes, J.H., see Strack, A.M., 156

Indo, M., see Nakamura, K., 15
Ishida-Yamamoto, A., Senba, E. and Tohyama, M., Distribution and fine structure of calcitonin gene-related peptide-like immunoreactive nerve fibers in the rat skin, 93

Jacob, J., see Monaco, S., 328
Jenich, H., see Monaco, S., 328
Jubelin, B., see Galeano, C., 45

Kabiersch, A., see Krenger, W., 374
Kalén, P., see Kokaia, M., 398
Kapcala, L.P., Production of immunoreactive adrenocorticotropin and β-endorphin by hypothalamic and extrahypothalamic brain cells, 253
Kawahara, K., Nakazono, Y. and Miyamoto, Y., Depression of diaphragmatic and external intercostal muscle activities elicited by stimulation of midpontine dorsal tegmentum in decerebrate cats, 180
Kawasaki, M., see Nakamura, K., 15
Kokaia, M., Bengzon, I., Kalén, P. and Lindvall, O., Noradrenergic mechanisms in hippocampal kindling with rapidly recurring seizures, 398
Kondo, N., see Sawada, M., 394
Krenger, W., Kabiersch, A. and Honegger, C.G., Monoamines and related substances in brainstem and spinal cord of Lewis rats during the attack and recovery of experimental autoimmune encephalomyelitis, 374
Krieger, A.J., see Urbanski, R.W., 383

Lacombe, P., Sercombe, R., Verrecchia, C., Philipson, V., MacKenzie, E.T. and Seylaz, J., Cortical blood flow increases induced by stimulation of the substantia innominata in the unanesthetized rat, 1
Levine, M.S., see Fisher, R.S., 163
Lindvall, O., see Kokaia, M., 398
Loewy, A.D., see Strack, A.M., 156
Loewy, A.D., see Strack, A.M., 274
LoPachin, R.M., see Horan, K.L., 366

MacKenzie, R.M., see Lacombe, P., 1
Manaye, K.F., Sonsalla, P.K., Barnett, G., Heikkila, R.E., Woodward, D.J., Smith, W.K. and German, D.C., 1-Methyl-4-(2′-methylphenyl)-1,2,3,6-tetrahydropyridine (2′-CH_3-MPTP)-induced degeneration of mesostriatal dopaminergic neurons in the mouse: biochemical and neuroanatomical studies, 307
Marangos, P.J., see Daval, J.-L., 212
Markey, S.P., see Heyes, M.P., 173
Marunouchi, T., see Sawada, M., 394
Matsushima, R., see Tashiro, T., 360
McEwen, B.S., see Ball, G.F., 68
Milne, R.J., Gamble, G.D. and Holford, N.H.G., Behavioural tolerance to morphine analgesia is supraspinally mediated: a quantitative analysis of dose–response relationships, 316
Mitchell, J.B. and Stewart, J., Effects of castration, steroid replacement, and sexual experience on mesolimbic dopamine and sexual behaviors in the male rat, 116
Miyamoto, Y., see Kawahara, K., 180
Mizuno, N., see Tashiro, T., 360
Monaco, S., Jacob, J., Jenich, H., Patton, A., Autilio-Gambetti, L. and Gambetti, P., Axonal transport of neurofilament is accelerated in peripheral nerve during 2,5-hexanedione intoxication, 328
Morris, M., see Bennett, B.A., 109
Murugaian, J., see Urbanski, R.W., 383

Nakamura, K., Ono, T., Tamura, R., Indo, M., Takashima, Y. and Kawasaki, M., Characteristics of rat lateral hypothalamic neuron responses to smell and taste in emotional behavior, 15
Nakazono, Y., see Kawahara, K., 180
Naylor, R.J., see Barnes, J.M., 136
Nock, B., see Ball, G.F., 68

Ono, T., see Nakamura, K., 15
Ouimet, C.C., see Gustafson, E.L., 297

Patton, A., see Monaco, S., 328
Philipson, V., see Lacombe, P., 1
Phillipson, O.T., see Cornwall, J., 194
Pignatelli, D., Ribeiro-da-Silva, A. and Coimbra, A., Postnatal maturation of primary afferent terminations in the substantia gelatinosa of the rat spinal cord. An electron microscopic study, 33
Platt, K.B., see Strack, A.M., 156
Platt, K.B., see Strack, A.M., 274

Quearry, B.J., see Heyes, M.P., 173

Reddy, V.K., Fung, S.J., Zhuo, H. and Barnes, C.D., Spinally projecting noradrenergic neurons of the dorsolateral pontine tegmentum: a combined immunocytochemical and retrograde labeling study, 144
Redmond, D.J., see Daval, J.-L., 212
Ribeiro-da-Silva, A., see Pignatelli, D., 33
Rossignol, S., see Dubuc, R., 335
Rossignol, S., see Dubuc, R., 349
Ruda, M.A., see Tashiro, T., 360

Sadzot, B., Frost, J.J. and Wagner Jr., H.N., In vivo labeling of central benzodiazepine receptors with the partial inverse agonist [^{3}H]Ro 15-4513, 128
Sapru, H.N., see Urbanski, R.W., 383
Satoda, T., see Tashiro, T., 360
Sawada, M., Kondo, N., Suzumura, A. and Marunouchi, T., Production of tumor necrosis factor-alpha by microglia and astrocytes in culture, 394
Sawyer, W.B., see Strack, A.M., 156
Sawyer, W.B., see Strack, A.M., 274
Senba, E., see Ishida-Yamamoto, A., 93
Sercombe, R., see Lacombe, P., 1
Sessle, B.J., see Henry, J.L., 150
Seyfried, T.N., see Wieraszko, A., 356
Seylaz, J., see Lacombe, P., 1
Shen, K.-F. and Crain, S.M., Dual opioid modulation of the action potential duration of mouse dorsal root ganglion neurons in culture, 227
Sica, A.L., see Donnelly, D.F., 243

Smith, W.K., see Manaye, K.F., 307
Sonsalla, P.K., see Manaye, K.F., 307
Stewart, J., see Mitchell, J.B., 116
Strack, A.M., Sawyer, W.B., Hughes, J.H., Platt, K.B. and Loewy, A.D., A general pattern of CNS innervation of the sympathetic outflow demonstrated by transneuronal pseudorabies viral infections, 156
Strack, A.M., Sawyer, W.B., Platt, K.B. and Loewy, A.D, CNS cell groups regulating the sympathetic outflow to adrenal gland as revealed by transneuronal cell body labeling with pseudorabies virus, 274
Suzumura, A., see Sawada, M., 394

Takashima, Y., see Nakamura, K., 15
Tamura, R., see Nakamura, K., 15
Taraskevich, P.S. and Douglas, W.W., Effects of BAY K 8644 on Ca-channel currents and electrical activity in mouse melanotrophs, 102
Tashiro, T., Ruda, M.A., Satoda, T., Matsushima, R. and Mizuno, N., Convergence of serotonin-, enkephalin- and substance P-like immunoreactive afferent fibers onto cat medullary dorsal horn projection neurons: a triple immunocytochemical staining technique combined with the retrograde HRP-tracing method, 360
Tauc, L., see Fossier, P., 390
Testylier, G., see Fossier, P., 390
Ticku, M.K., see Frey, J.M., 57
Tohyama, M., see Ishida-Yamamoto, A., 93

Urbanski, R.W., Murugaian, J., Krieger, A.J. and Sapru, H.N., Cardiovascular effects of substance P receptor stimulation in the ventrolateral medullary pressor and depressor areas, 383

Van Damme, J., see Carmeliet, P., 199
Verrecchia, G., see Lacombe, P., 1
Viret, J., see Fossier, P., 390
Von Lubitz, D.K.J.E., see Daval, J.-L., 212

Wagner Jr., H.N., see Sadzot, B., 128
Ward, D.G., Neurons in the parabrachial nuclei respond to hemorrhage, 80
Weiss, S., Two distinct quisqualate receptor systems are present on striatal neurons, 189
Wieraszko, A. and Seyfried, T.N., ATP-induced synaptic potentiation in hippocampal slices, 356
Woodward, D.J., see Manaye, K.F., 307

Young, A.B., see Albin, R.L., 185
Yu, W.-H.A., Survival of motoneurons following axotomy is enhanced by lactation or by progesterone treatment, 379

Zhang, H., see Donnelly, D.F., 243
Zhuo, H., see Reddy, V.K., 144